

## **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application.

### Listing of Claims:

1. - 40. (cancelled)

41. (new) A cosmetic or dermatological cleansing preparation, wherein the preparation comprises

(a) at least one disodium acyl glutamate as an anionic surfactant,

(b) optionally, one or more further surfactants,

(c) one or more gel-forming acrylate thickeners selected from cross-linked, alkali-swellable acrylate copolymers,

(d) optionally, up to 20 % by weight, based on a total weight of the preparation, of ethoxylated mono-, di-, and triglycerides of carboxylic acids having from 8 to 22 carbon atoms, and

(e) optionally, suspended objects selected from one or more of solid particles, gas bubbles and liquid droplets;

a total concentration of (a) plus (b) being from 10 % to 20 % by weight, relative to a total weight of the preparation.

42. (new) The preparation of claim 41, wherein (a) comprises one or more of disodium lauroyl glutamate, disodium cocoyl glutamate, disodium myristoyl glutamate, disodium stearyl glutamate, and disodium tallowyl glutamate.

43. (new) The preparation of claim 41, wherein (a) is present in a concentration of from 0.1 % to 5 % by weight, relative to a total weight of the preparation.

44. (new) The preparation of claim 41, wherein (a) is present in a concentration of from 0.5 % to 4 % by weight.

45. (new) The preparation of claim 41, wherein (c) comprises a copolymer of (i) one or more acrylate monomers, (ii) one or more  $\alpha,\beta$ -ethylenically unsaturated monomers and (iii) one or more polyunsaturated monomers suitable for partial cross-linking.

46. (new) The preparation of claim 41, wherein (c) is present in a concentration of from 0.3 % to 6 % by weight, relative to a total weight of the preparation.

47. (new) The preparation of claim 45, wherein (c) is present in a concentration of from 0.5 % to 4 % by weight, relative to a total weight of the preparation.

48. (new) The preparation of claim 41, wherein (d) comprises one or more ethoxylated glycerin fatty acids.

49. (new) The preparation of claim 48, wherein the one or more ethoxylated glycerin fatty acids are selected from PEG-10 olive oil glycerides, PEG-11 avocado oil glycerides, PEG-11 cocoa butter glycerides, PEG-13 sunflower oil glycerides, PEG-15 glyceryl isostearate, PEG-9 coconut fatty acid glycerides, PEG-54 hydrogenated castor oil, PEG-7 hydrogenated castor oil, PEG-60 hydrogenated castor oil, jojoba oil ethoxylate, PEG-26 jojoba fatty acids, PEG-26 jojoba alcohol, glycereth-5 cocoate, PEG-9 coconut fatty acid glycerides, PEG-7 glyceryl cocoate, PEG-45 palm kernel oil glycerides, PEG-35 castor oil, olive oil PEG-7 ester, PEG-6 caprylic acid/capric acid triglycerides, PEG-10 olive oil glycerides, PEG-13 sunflower oil glycerides, PEG-7 hydrogenated castor oil, hydrogenated palm kernel oil glyceride-PEG-6 ester, PEG-20 corn oil glycerides, PEG-18 glyceryl oleate/cocoate, PEG-40 hydrogenated castor oil, PEG-40 castor oil, PEG-60 hydrogenated castor oil, PEG-60 corn oil glycerides, PEG-54 hydrogenated castor oil, PEG-45 palm kernel oil glycerides, PEG-35 castor oil, PEG-80 glyceryl cocoate, PEG-60 almond oil glycerides, PEG-60 evening primrose glycerides, PEG-200 hydrogenated glyceryl palmitate, and PEG-90 glyceryl isostearate.

50. (new) The preparation of claim 41, wherein the preparation comprises from 0.1 % to 20 % by weight of one or more ethoxylated mono-, di-, and triglycerides of fatty acids having an average degree of ethoxylation of from 3 to 20 ethylene oxide units.

51. (new) The preparation of claim 41, wherein the preparation comprises from 1 % to 4 % by weight of the one or more ethoxylated mono-, di-, and triglycerides.

52. (new) The preparation of claim 41, wherein the preparation comprises at least 12 % by weight of (a) plus (b).

53. (new) A cosmetic or dermatological cleansing preparation, wherein the preparation comprises

(a) at least one anionic surfactant,

(b) optionally, one or more further surfactants,

(c) one or more gel-forming acrylate thickeners selected from cross-linked, alkali-swellable acrylate copolymers,

(d) from 1 % to 20 % by weight, based on a total weight of the preparation, of ethoxylated mono-, di-, and triglycerides of carboxylic acids having from 8 to 22 carbon atoms, and

(e) optionally, suspended objects selected from one or more of solid particles, gas bubbles and liquid droplets;

a total concentration of (a) plus (b) being from 10 % to 20 % by weight, relative to a total weight of the preparation.

54. (new) The preparation of claim 53, wherein (a) and (b) comprise one or more surfactants selected from disodium acyl glutamates, lauryl ether sulfates, alkyl amidopropylbetaines and alkyl polyglucosides.

55. (new) The preparation of claim 54, wherein (c) is present in a concentration of from 0.5 % to 4 % by weight, relative to a total weight of the preparation.

56. (new) The preparation of claim 53, wherein the preparation comprises a gel.
57. (new) The preparation of claim 56, wherein at least one of gaseous, solid, and liquid objects are embedded in the gel.
58. (new) The preparation of claim 53, wherein the preparation comprises not more than 0.5 % by weight of cationic polymers.
59. (new) The preparation of claim 53, wherein the preparation is free of cationic polymers.
60. (new) The preparation of claim 53, wherein (a) comprises from 0.5 % to 5 % by weight of one or more of disodium lauroyl glutamate, disodium cocoyl glutamate, disodium myristoyl glutamate, disodium stearyl glutamate, and disodium tallowyl glutamate.
61. (new) The preparation of claim 60, wherein the preparation comprises at least 12 % by weight of (a) plus (b).
62. (new) The preparation of claim 53, wherein the preparation has a transmission value of >70 %.

63. (new) The preparation of claim 53, wherein the preparation has at least one of a yield point of from 1 to 6 Pa and a  $\tan \delta$  of from 0.1 to 0.5.

64. (new) The preparation of claim 53, wherein the preparation has a pH of from 6.3 to 6.9.

65. (new) A cosmetic or dermatological cleansing preparation, wherein the preparation comprises

(a) at least one anionic surfactant,

(b) optionally, one or more further surfactants,

(c) one or more gel-forming acrylate thickeners selected from cross-linked, alkali-swellaable acrylate copolymers,

(d) optionally, up to 20 % by weight, based on a total weight of the preparation, of ethoxylated mono-, di-, and triglycerides of carboxylic acids having from 8 to 22 carbon atoms, and

(e) optionally, suspended objects selected from one or more of solid particles, gas bubbles and liquid droplets;

and wherein (a) and (b) comprise one or more surfactants selected from disodium acyl glutamates, lauryl ether sulfates, alkyl amidopropylbetaines and alkyl polyglucosides, a total concentration of (a) plus (b) is from 10 % to 20 % by weight, relative to a total weight of the preparation, and the preparation has a yield point of from 0.5 to 20 Pa, a  $\tan \delta$  of from 0.05 to 0.6, and a pH of  $>5.5$ .

66. (new) The preparation of claim 65, wherein the preparation has a transmission value of  $>70\%$ .

67. (new) The preparation of claim 66, wherein the preparation has at least one of a yield point of from 1 to 6 Pa, a  $\tan \delta$  of from 0.1 to 0.5, and a pH of  $>6.0$ .

68. (new) The preparation of claim 65, wherein (a) comprises from 0.5 % to 5 % by weight of one or more of disodium lauroyl glutamate, disodium cocoyl glutamate, disodium myristoyl glutamate, disodium stearyl glutamate, and disodium tallowyl glutamate.

69. (new) The preparation of claim 68, wherein the preparation comprises at from 12 % to 16 % by weight of (a) plus (b).

70. (new) The preparation of claim 65, wherein (e) is present.

71. (new) The preparation of claim 65, wherein the preparation is free of cationic polymers.